Author index

Abbas, E.H. & Abdulla, A.S. First report of false smut disease caused by *Graphiola phoenicis* on date palm trees in Qatar, 815
Abdin, M.Z. *see* Katoch, M.
Abdulla, A.S. *see* Abbas, E.H.
Acheche, H. *see* M'hirsi, S.
Achuo, E.A., Audenaert, K., Meziane, H. & Höfte, M. The salicylic acid-dependent defence pathway is effective against different pathogens in tomato and tobacco, 65
Adams, M.J. *see* Kanyuka, K.
see also McGrann, G.R.D.
Afunian, M. R., Goodwin, P. H. & Hunter, D. M. Linkage of *Vfa4* in *Malus* × *domestica* and *Malus floribunda* with *Vf* resistance to the apple scab pathogen *Venturia inaequalis*, 461
Aguilar, E. *see* Mejía, F.
Ahohuendo, B. *see* Zinsou, V.
Ajanga, S. *see* Jones, P.
Akhtar, K.P., Saleem, M.Y., Asghar, M. & Haq, M.A. New report of *Alternaria alternata* causing leaf blight of tomato in Pakistan, 816
Albiston, A. *see* Cother, E.J.
Alcantara, T. *see* Stanghellini, M.E.
Almeida, A.C.L. *see* Nagata, T.
Alves, A., Henriques, I., Fragoeiro, S., Santos, C., Phillips, A.J.L. & Correia, A. Applicability of rep-PCR genomic fingerprinting to molecular discrimination of members of the genera *Phaeoacremonium* and *Phaeomoniella*, 629
Alves-Santos, F.M. *see* Veroz, D.
Amorim, L. *see* Mota, L.D.C.
Andrivon, D. *see* Glais, I.
see also Glais-Varlet, I.
Angelopoulos, A. *see* Tsopelas, P.
Ansari, K.I., Palacios, N., Araya, C., Langin, T., Egan, D. & Doohan, F.M. Pathogenic and genetic variability among *Colletotrichum lindemuthianum* isolates of different geographic origins, 635
Appiah, A.A., Flood, J., Archer, S.A. & Bridge, P.D. Molecular analysis of the major *Phytophthora* species on cocoa, 209
Araya, C. *see* Ansari, K.I.
Archer, S.A. *see* Appiah, A.A.
Asghar, M. *see* Akhtar, K.P.
Ash, G.J. *see* Cother, E.J.
see also Peters, B.J.
Asiedu, R. *see* Odu, B.O.
Audenaert, K. *see* Achuo, E.A.
Avelino, J., Willocquet, L. & Savary, S. Effects of crop management patterns on coffee rust epidemics, 541
Aysan, Y. *see* Saygili, H.

Bång, H. *see* Lehtonen, M.J.
Babadoost, M., Chen, W., Bratsch, A.D. & Eastman, C.E. *Verticillium longisporum* and *Fusarium solani*: two new species in the complex of internal discoloration of horseradish roots, 669
Bag, T.K. Two new orchid hosts of *Sclerotium rolfsii* from India, 255
Baierl, A. *see* Karolewski, Z.
see also Welham, S.J.
Barbara, D.J. *see* Ghalandar, M.
Barbosa Neto, J.F. *see* do Amaral, A.L.
Barnes, A.V. *see* Žerjav, M.
see also Beales, P.A.; Giltrap, P.M.
Barreto, R.W. *see* Liberato, J.R.
see also Pereira, O.L.; Vieira, B.S.
Barton, V.C. *see* Beales, P.A.
see also Giltrap, P.M.
Barumbanze, P. *see* Bigirimana, S.
Bashir, M. *see* Hussain, M.
Bayon, C. *see* Pei, M.H.
Beales, P.A., Brokenshire, T., Barnes, A.V., Barton, V.C. & Hughes, K.J.D. First report of ramorum leaf blight and dieback (*Phytophthora ramorum*) on *Camellia* spp. in the UK, 524
Beales, P.A., Schlenzig, A. & Inman, A.J. First report of ramorum bud and leaf blight (*Phytophthora ramorum*) on *Syringa vulgaris* in the UK, 525
Beales, P.A., Scrace, J., Cook, R.T.A., Barnes, A.V. & Lane, C.R. First report of honeysuckle leaf blight (*Insolibasidium deformans*) on honeysuckle (*Lonicera* spp.) in the UK, 536
Beales, P.A. *see* Lane, C.R.
Beed, F.D. *see* Neumann, S.
Bigirimana, S., Barumbanze, P., Obonyo, R. & Legg, J.P. First evidence for the spread of *East African cassava mosaic virus* – Uganda (EACMV-UG) and the pandemic of severe cassava mosaic disease to Burundi, 231
Blaschke, M. *see* Jung, T.
Blok, V.C. *see* Boutsika, K.
Boa, E. *see* Tushemereirwe, W.
Boa, E.R. *see* Filgueira, J.J.
Boccardo, G. *see* M'hirsi, S.
Bock, C.H., Mackey, B. & Cotty, P.J. Population dynamics of *Aspergillus flavus* in the air of an intensively cultivated region of south-west Arizona, 422
Bogs, J., Richter, K., Kim, W.-S., Jock, S. & Geider, K. Alternative methods to describe virulence of *Erwinia amylovora* and host-plant resistance against fireblight, 80
Bouchek-Mechiche, K. *see* Glais-Varlet, I.
Boutsika, K., Phillips, M.S., MacFarlane, S.A., Brown, D.J.F., Holeva, R.C. & Blok, V.C. Molecular diagnostics of some trichodorid nematodes and associated *Tobacco rattle virus*, 110
Brading, P.A. *see* Chartrain, L.
Brasier, C.M., Denman, S., Rose, J., Kirk, S.A., Hughes, K.J.D., Griffin, R.L., Lane, C.R., Inman, A.J. & Webber, J.F. First report of ramorum bleeding canker on *Quercus falcata*, caused by *Phytophthora ramorum*, 804
Bratsch, A.D. *see* Babadoost, M.
Briddon, R.W., Robertson, I., Markham, P.G. & Stanley, J. Occurrence of *South African cassava mosaic virus* (SACMV) in Zimbabwe, 233
Briddon, R.W. *see* Hussain, M.
Bridge, P.D. *see* Appiah, A.A.
see also Pérez-Sierra, A.
Brokenshire, T. *see* Beales, P.A.
Brown, D.J.F. *see* Boutsika, K.
Brown, J.K.M. *see* Chartrain, L.

© 2004 BSPP

Caciagli, P. *see* Louro, D.
Calonnec, A., Cartolaro, P., Poupot, C., Dubourdieu, D. & Darriet, P. Effects of *Uncinula necator* on the yield and quality of grapes (*Vitis vinifera*) and wine, 434
Camargo, L.E.A. *see* Mota, L.D.C.
Campbell, M.M. *see* Smith, C.M.
Can, C., Yucel, S., Korolev, N. & Katan, T. First report of fusarium crown and root rot of tomato caused by *Fusarium oxysporum* f.sp. *radicis-lycopersici* in Turkey, 814
Cardoso, J.E., Santos, A.A., Rossetti, A.G. & Vidal, J.C. Relationship between incidence and severity of cashew gummosis in semiarid north-eastern Brazil, 363
Carranza, M.R., Lori, G.A. & Larran, S. Canker on umbra tree caused by *Fusarium sambucinum*, 532
Carraro, L., Ferrini, F., Ermacora, P., Loi, N., Martini, M. & Osler, R. *Macropsis mendax* as a vector of elm yellows phytoplasma of *Ulmus* species, 90
Cartolaro, P. *see* Calonnec, A.
Castillo, P. *see* Di Vito, M.
Chakraborty, S., Ghosh, R., Ghosh, M., Fernandes, C.D., Charchar, M.J. & Kelemu, S. Weather-based prediction of anthracnose severity using artificial neural network models, 375
Chandler, E.A. *see* Jennings, P.
Chang, Y.-C. *see* Hu, W.-C.
Charchar, M.J. *see* Chakraborty, S.
Chartrain, L., Brading, P.A., Makepeace, J.C. & Brown, J.K.M. Sources of resistance to septoria tritici blotch and implications for wheat breeding, 454
Chen, C.-N. *see* Hung, T.-H.
Chen, H.R. *see* Yang, G.H.
Chen, W. *see* Babadoost, M.
Chen, W., Coyne, C.J., Peever, T.L. & Muehlbauer, F.J. Characterization of chickpea differentials for pathogenicity assay of ascochyta blight and identification of chickpea accessions resistant to *Didymella rabiei*, 759
Chen, X.Q. *see* Yang, G.H.
Ciuffo, M. & Turina, M. A potexvirus related to *Papaya mosaic virus* isolated from moss rose (*Portulaca grandiflora*) in Italy, 515
Ciuffo, M. *see* Margaria, P.
Clarkson, J.P., Mead, A., Payne, T. & Whipps, J.M. Effect of environmental factors and *Sclerotium cepivorum* isolate on sclerotial degradation and biological control of white rot by *Trichoderma*, 353
Clarkson, J.P. *see* Jones, E.E.
see also Young, C.S.
Clewes, E. *see* Ghalandar, M.
Coates, M.E. *see* Jennings, P.
Cockerell, V. *see* McNeil, M.
Cognet, S. *see* Pujol, M.
Colvin, J., Omongo, C.A., Maruthi, M.N., Otim-Nape, G.W. & Thresh, J.M. Dual begomovirus infections and high *Bemisia tabaci* populations: two factors driving the spread of a cassava mosaic disease pandemic, 577
Company, P. *see* Flors, V.
Conca, G. & Infantino, A. First report of *Verticillium dahliae* on *Hebe* × *franciscana* in Italy, 534
Cook, R.T.A., Henricot, B. & Kiss, L. First record of *Erysiphe elevata* on *Catalpa bignonioides* in the UK, 807
Cook, R.T.A. *see* Beales, P.A.
Cooke, D.E.L. & Lees, A.K. Markers, old and new, for examining *Phytophthora infestans* diversity, 692
Cooper, R.M. *see* Williams, J.S.
Correia, A. *see* Alves, A.
Cosic, J. *see* Vrandecic, K.
Costet, L. *see* Rassaby, L.
Cother, E.J. *see* Peters, B.J.
Cother, E.J., Noble, D., Peters, B.J., Albiston, A. & Ash, G.J. A new bacterial disease of jojoba (*Simmondsia chinensis*) caused by *Burkholderia andropogonis*, 129
Cotty, P.J. *see* Bock, C.H.
Covarelli, L., Turner, A.S. & Nicholson, P. Repression of deoxynivalenol accumulation and expression of *Tri* genes in *Fusarium culmorum* by fungicides *in vitro*, 22
Coyne, C.J. *see* Chen, W.
Crozier, J. *see* Tushemereirwe, W.
Cuadrado, I.M. *see* Segundo, E.
Cumagun, C.J.R., Rabenstein, F. & Miedaner, T. Genetic variation and covariation for aggressiveness, deoxynivalenol production and fungal colonization among progeny of *Gibberella zeae* in wheat, 446

Díaz, L. *see* Echemendía, A.L.
Dal Soglio, F.K. *see* do Amaral, A.L.
Dale, M.F.B., Robinson, D.J. & Todd, D. Effects of systemic infections with *Tobacco rattle virus* on agronomic and quality traits of a range of potato cultivars, 788
Darriet, P. *see* Calonnec, A.
Day, J.P., Wattier, R.A.M., Shaw, D.S. & Shattock, R.C. Phenotypic and genotypic diversity in *Phytophthora infestans* on potato in Great Britain, 1995–98, 303
de Ávila, A.C. *see* Nagata, T.
de Carli, M.L. *see* do Amaral, A.L.
De Clercq, D. *see* Pujol, M.
Dean, M.L. *see* Giltrap, P.M.
Della Vecchia, M.G.S. *see* Mota, L.D.C.
Denman, S. *see* Brasier, C.M.
Denton, G. *see* Henricot, B.
Devonshire, B.J. *see* Jones, P.
Di Vito, M., Vovlas, N. & Castillo, P. Host–parasite relationships of *Meloidogyne incognita* on spinach, 508
Diez, J. *see* Veroz, D.
do Amaral, A.L., de Carli, M.L., Barbosa Neto, J.F. & Dal Soglio, F.K. *Phoma sorghina*, a new pathogen associated with phaeosphaeria leaf spot on maize in Brazil, 259
Doohan, F.M. *see* Ansari, K.I.
Dovas, C.I., Eythymiou, K. & Katis, N.I. First report of *Maize rough dwarf virus* (MRDV) on maize crops in Greece, 238
Doyle, M. *see* Mejía, F.
Dr Robert J.W. Byrde, 540
Dubourdieu, D. *see* Calonnec, A.
Duvnjak, T. *see* Vrandecic, K.

Eastman, C.E. *see* Babadoost, M.
Echemendía, A.L., Ramos, P.L., Díaz, L., Peral, R., Fuentes, A., Pujol, M. & González, G. First report of *Sida golden yellow vein virus* infecting *Sida* species in Cuba, 234
Edison, S. *see* Jeeva, M.L.
Egan, D. *see* Ansari, K.I.
Ellis, M.H., Rebetzke, G.J., Kelman, W.M., Moore, C.S. & Hyles, J.E. Detection of *Wheat streak mosaic virus* in four pasture grass species in Australia, 239
Elmer, W.H. Combining nonpathogenic strains of *Fusarium oxysporum* with sodium chloride to suppress fusarium crown rot of asparagus in replanted fields, 751
Ermacora, P. *see* Carraro, L.
Estrada, R. *see* Mejía, F.
Evans, H.C. *see* Tomley, A.J.
Evans, N. *see* Karolewski, Z.

Evans, N. *see* Welham, S.J.
Eythymiou, K. *see* Dovas, C.I.

Fan, Z.F., Wang, W.J., Jiang, X., Liang, X.M., Wang, F.R. & Li, H.F. Natural infection of maize by *Pennisetum mosaic virus* in China, 796
Fan, Z.F. *see* Liang, W.X.
Farzadfar, Sh. *see* Pourrahim, R.
Fattouch, S. *see* M'hirsi, S.
Fenn, M.G.E. *see* Ward, L.I.
Fernandes, C.D. *see* Chakraborty, S.
Fernandes, J.E. *see* Louro, D.
Ferrin, D.M. *see* Radewald, K.C.
see also Stanghellini, M.E.
Ferrini, F. *see* Carraro, L.
Filgueira, J.J., Franco-Lara, L., Salcedo, J.E., Gaitan, S.L. & Boa, E.R. Urapan (*Fraxinus udhei*) dieback, a new disease associated with a phytoplasma in Colombia, 520
Fischl, G. *see* Kiss, L.
see also Vajna, L.
Fitt, B.D.L. *see* Karolewski, Z.
see also Welham, S.J.
Flood, J. *see* Appiah, A.A.
Flors, V., Miralles, M.C., Varas, E., Company, P., González-Bosch, C. & García-Agustín, P. Effect of analogues of plant growth regulators on *in vitro* growth of eukaryotic plant pathogens, 58
Foster, S.J. *see* Karolewski, Z.
Foulkes, J. *see* Parker, S.R.
Fragoeiro, S. *see* Alves, A.
Franco-Lara, L. *see* Filgueira, J.J.
Fuentes, A. *see* Echemendía, A.L.

Gaitan, S.L. *see* Filgueira, J.J.
García-Agustín, P. *see* Flors, V.
Garg, I.D. *see* Usharani, K.S.
Geider, K. *see* Bogs, J.
see also Salm, H.
Gerós, H. *see* Sousa, M.F.
Ghalandar, M., Clewes, E., Barbara, D.J., Zare, R. & Heydari, A. Verticillium wilt (*Verticillium albo-atrum*) on *Medicago sativa* (alfalfa) in Iran, 812
Ghosh, M. *see* Chakraborty, S.
Ghosh, R. *see* Chakraborty, S.
Giltrap, P.M., Inman, A.J., Barton, V.C., Barnes, A.V., Lane, C.R., Hughes, K.J.D., Tomlinson, J., Dean, M.L. & Izzard, K. First report of ramorum dieback (*Phytophthora ramorum*) on *Hamamelis virginiana* in the UK, 526
Gioria, R. *see* Mota, L.D.C.
Girard, J.-C. *see* Rassaby, L.
Gjærum, H.B., Lye, K.A. & Solheim, H. First record of *Melampsoridium hiratsukanum* on alder in Norway, 530
Gladders, P. *see* Welham, S.J.
Glais, I. & Andrivon, D. Deep sunken lesions – an atypical symptom on potato tubers caused by *Colletotrichum coccodes* during storage, 254
Glais-Varlet, I., Bouchek-Mechiche, K. & Andrivon, D. Growth *in vitro* and infectivity of *Colletotrichum coccodes* on potato tubers at different temperatures, 398
Golnaraghi, A.R. *see* Pourrahim, R.
González, G. *see* Echemendía, A.L.
González-Bosch, C. *see* Flors, V.
Gonzalez, M. *see* Seta, S.
Goodwin, P.H. *see* Afunian, M.R.
Grünwald, N.J. *see* Sotirovski, K.
Griffin, R.L. *see* Brasier, C.M.
Griggs, J. *see* Pethybridge, S.J.
Guillaumin, J.-J. *see* Pérez-Sierra, A.
Guindo, S. *see* Sarra, S.

Höfte, M. *see* Achuo, E.A.
Hailstones, D.L. *see* Peters, B.J.
Hammond-Kosack, K. *see* Kanyuka, K.
Haq, M.A. *see* Akhtar, K.P.
Harrington, T.C. *see* Szabó, I.
Harrison, N. *see* Mejía, F.
Hatting, H. *see* Roux, J.
Hau, B. *see* Zinsou, V.
Hegde, V. *see* Jeeva, M.L.
Henricot, B. *see* Cook, R.T.A.
Henricot, B., Waghorn, I., Denton, G. & Pérez Sierra, A.M. First report of fruit rot caused by *Phytophthora syringae* on *Pyracantha* in the UK, 805
Henriques, I. *see* Alves, A.
Henry, C.M. *see* Ward, L.I.
Hernandez-Anguiano, A.M., Suslow, T.V., Leloup, L. & Kado, C.I. Biosurfactants produced by *Pseudomonas fluorescens* and soft-rotting of harvested florets of broccoli and cauliflower, 596
Heydari, A. *see* Ghalandar, M.
Holeva, R.C. *see* Boutsika, K.
Holman, T.J. *see* Jones, P.
Howlett, B.J. *see* J. Marcroft, S.
Hsu, M.-H. *see* Hung, T.-H.
Hu, W.-C. & Chang, Y.-C. A new mosaic disease of Amazon lily in Taiwan, 240
Hughes, J.d'A. *see* Odu, B.O.
Hughes, K.J.D. *see* Žerjav, M.
see also Beales, P.A.; Brasier, C.M.; Giltrap, P.M.; Lane, C.R.
Hung, S.-C. *see* Hung, T.-H.
Hung, T.-H., Hung, S.-C., Chen, C.-N., Hsu, M.-H. & Su, H.-J. Detection by PCR of *Candidatus* Liberibacter asiaticus, the bacterium causing citrus huanglongbing in vector psyllids: application to the study of vector–pathogen relationships, 96
Hunter, D.M. *see* Afunian, M.R.
Hunter, T. *see* Lovell, D.J.
see also Pei, M.H.
Hussain, M., Mansoor, S., Iram, S., Zafar, Y. & Briddon, R.W. First report of *Tomato leaf curl New Delhi virus* affecting chilli pepper in Pakistan, 794
Hussain, M., Qazi, J., Mansoor, S., Iram, S., Bashir, M. & Zafar, Y. First report of *Mungbean yellow mosaic India virus* on mungbean in Pakistan, 518
Hyles, J.E. *see* Ellis, M.H.

Íliwa, H. *see* Kaminska, M.
Infantino, A. *see* Conca, G.
Inman, A.J. *see* Beales, P.A.
see also Brasier, C.M.; Giltrap, P.M.; Lane, C.R.; O'Neill, T.M.
Iram, S. *see* Hussain, M.
Irey, M.S. *see* Rassaby, L.
Izzard, K. *see* Giltrap, P.M.

Janssen, D. *see* Segundo, E.
Jarvis, B. *see* Mumford, R.A.
see also Skelton, A.L.

Jeeva, M.L., Hegde, V., Makeshkumar, T., Sriram, S., Nair, R.R., Edison, S. & Mathur, N. Rust of Queensland arrowroot (*Canna edulis*) caused by *Puccinia thaliae*: a new record for India, 261
Jenkinson, P. *see* Mann, R.L.
Jennings, P., Coates, M.E., Turner, J.A., Chandler, E.A. & Nicholson, P. Determination of deoxynivalenol and nivalenol chemotypes of *Fusarium culmorum* isolates from England and Wales by PCR assay, 182
Jennings, P., Coates, M.E., Walsh, K., Turner, J.A. & Nicholson, P. Determination of deoxynivalenol- and nivalenol-producing chemotypes of *Fusarium graminearum* isolated from wheat crops in England and Wales, 643
Jiang, T. & Zhou, X.P. First report of *Malvastrum yellow vein virus* infecting *Ageratum conyzoides*, 799
Jiang, X. *see* Fan, Z.F.
Jijakli, M.H. *see* Pujol, M.
Jiménez-Díaz, R.M. *see* Landa, B.B.
Jock, S. *see* Bogs, J.
Jones, E.E., Clarkson, J.P., Mead, A. & Whipps, J.M. Effect of inoculum type and timing of application of *Coniothyrium minitans* on *Sclerotinia sclerotiorum*: influence on apothecial production, 621
Jones, E.E., Mead, A. & Whipps, J.M. Effect of inoculum type and timing of application of *Coniothyrium minitans* on *Sclerotinia sclerotiorum*: control of sclerotinia disease in glasshouse lettuce, 611
Jones, P., Devonshire, B.J., Holman, T.J. & Ajanga, S. Napier grass stunt: a new disease associated with a 16SrXI group phytoplasma in Kenya, 519
Jung, T. & Blaschke, M. Phytophthora root and collar rot of alders in Bavaria: distribution, modes of spread and possible management strategies, 197
Jurkovic, D. *see* Vrandecic, K.

Kado, C.I. *see* Hernandez-Anguiano, A.M.
Kamińska, M., Śliwa, H. & Rudzińska-Langwald, A. First report of shoot proliferation of bleeding heart (*Dicentra spectabilis*) in Poland, associated with phytoplasma infection, 801
Kangire, A. *see* Tushemereirwe, W.
Kanyuka, K., Lovell, D.J., Mitrofanova, O.P., Hammond-Kosack, K. & Adams, M.J. A controlled environment test for resistance to *Soil-borne cereal mosaic virus* (SBCMV) and its use to determine the mode of inheritance of resistance in wheat cv. Cadenza and for screening *Triticum monococcum* genotypes for sources of SBCMV resistance, 154
Karolewski, Z., Evans, N., Fitt, B.D.L., Baierl, A., Todd, A.D. & Foster, S.J. Comparative epidemiology of *Pyrenopeziza brassicae* (light leaf spot) ascospores and conidia from Polish and UK populations, 29
Katan, T. *see* Can, C.
Katis, N.I. *see* Dovas, C.I.
Katoch, M., Abdin, M.Z. & Zaidi, A.A. First report of *Tobacco rattle virus* occurring in gladiolus in India, 236
Kavak, H. Epidemic outbreaks of powdery mildew caused by *Leveillula taurica* on *Capparis spinosa* in Turkey, 809
Kavak, H. First record of leaf rust caused by *Puccinia hordei* on *Hordeum vulgare* ssp. *spontaneum* in Turkey, 258
Kavak, H. First report of rust disease caused by *Puccinia linkii* on *Viburnum edule* in Turkey, 529
Kavak, H. *Melampsora euphorbiae*, a new rust disease found on *Euphorbia rigida* in Turkey, 810
Kelemu, S. *see* Chakraborty, S.
Kelman, W.M. *see* Ellis, M.H.
Kettlewell, P.S. *see* Mann, R.L.
Kim, D.H. *see* Stanghellini, M.E.
Kim, W.-S. *see* Bogs, J.
Kirk, S.A. *see* Brasier, C.M.
Kiss, L. *see* Cook, R.T.A.
see also Szentiványi, O.; Vajna, L.
Kiss, L., Vajna, L. & Fischl, G. Occurrence of *Erysiphe flexuosa* (syn. *Uncinula flexuosa*) on horse chestnut (*Aesculus hippocastanum*) in Hungary, 245
Kitajima, E.W. *see* Mota, L.D.C.
Kodja, H. *see* Rassaby, L.
Koenig, R. *see* Skelton, A.L.
Korolev, N. *see* Can, C.
Koski, P. *see* Lehtonen, M.J.
Kreuze, J.F. *see* Lehtonen, M.J.
Kuisma, L. *see* Lehtonen, M.J.
Kurt, S. *see* Soylu, E.M.
see also Soylu, S.
Kurt, S., Soylu, S., Soylu, E.M. & Tok, F.M. First report of powdery mildew caused by *Leveillula taurica* on leek (*Allium porrum*) in Turkey, 527

Landa, B.B., Navas-Cortés, J.A. & Jiménez-Díaz, R.M. Influence of temperature on plant–rhizobacteria interactions related to biocontrol potential for suppression of fusarium wilt of chickpea, 341
Lane, C.R., Beales, P.A., Hughes, K.J.D., Tomlinson, J.A., Inman, A.J. & Warwick, K. First report of ramorum dieback (*Phytophthora ramorum*) on container-grown English yew (*Taxus baccata*) in England, 522
Lane, C.R. *see* Žerjav, M.
see also Beales, P.A.; Brasier, C.M.; Giltrap, P.M.; O'Neill, T.M.
Langin, T. *see* Ansari, K.I.
Larran, S. *see* Carranza, M.R.
Lebeda, A. & Petrželová, I. Variation and distribution of virulence phenotypes of *Bremia lactucae* in natural populations of *Lactuca serriola*, 316
Lees, A.K. *see* Cooke, D.E.
see also Woodhall, J.W.
Legg, J.P., Ndjelassili, F. & Okao-Okuja, G. First report of cassava mosaic disease and cassava mosaic geminiviruses in Gabon, 232
Legg, J.P. *see* Bigirimana, S.
Lehtonen, M.J., Rantala, H., Kreuze, J.F., Bång, H., Kuisma, L., Koski, P., Virtanen, E., Vihlman, K. & Valkonen, J.P.T. Occurrence and survival of potato scab pathogens (*Streptomyces* species) on tuber lesions: quick diagnosis based on a PCR-based assay, 280
Lei, C.L. *see* Zhou, J.H.
Leloup, L. *see* Hernandez-Anguiano, A.M.
Lemaire, O. *see* Rassaby, L.
Lepoivre, P. *see* Pujol, M.
Lesemann, D.E. *see* Skelton, A.L.
Li, H.F. *see* Fan, Z.F.
see also Liang, W.X.
Li, Y. *see* Liang, W.X.
Liang, W.X., Song, L.M., Li, Y., Tian, G.Z., Li, H.F. & Fan, Z.F. First report of *Wisteria vein mosaic virus* in China, 516
Liang, X.M. *see* Fan, Z.F.
Liberato, J.R. & Barreto, R.W. Anamorphic stage of *Erysiphe australiana* causing powdery mildew on *Lagerstroemia indica* in Brazil, 808
Ling, Z.Z. *see* Zhou, J.H.

Lino-Neto, T. *see* Sousa, M.F.
Lockhart, B.E.L. *see* Rassaby, L.
Loi, N. *see* Carraro, L.
Lori, G. *see* Seta, S.
Lori, G.A. *see* Carranza, M.R.
Louro, D., Quinot, A., Neto, E., Fernandes, J.E., Marian, D., Vecchiati, M., Caciagli, P. & Vaira, A.M. Occurrence of *Cucumber vein yellowing virus* in cucurbitaceous species in southern Portugal, 241
Lovell, D.J., Powers, S.J., Welham, S.J. & Parker, S.R. A perspective on the measurement of time in plant disease epidemiology, 705
Lovell, D.J. *see* Kanyuka, K.
Lovell, D.J., Hunter, T., Powers, S.J., Parker, S.R. & Van den Bosch, F. Effect of temperature on latent period of septoria leaf blotch on winter wheat under outdoor conditions, 170
Lovell, D.J., Parker, S.R., Hunter, T., Welham, S.J. & Nichols, A.R. Position of inoculum in the canopy affects the risk of septoria tritici blotch epidemics in winter wheat, 11
Lucas, J.A. Survival, surfaces and susceptibility – the sensory biology of pathogens, 679
Lye, K.A. *see* Gjærum, H.B.

M'hirsi, S., Acheche, H., Fattouch, S., Boccardo, G., Marrakchi, M. & Marzouki, N. First report of phytoplasmas in the aster yellows group infecting grapevine in Tunisia, 521
Ma, Z.H., Zhang, Z.D., Wang, Y.X. & Yang, X.B. *Cylindrocladium crotalariae* causing red crown rot of soybean in China, 537
MacFarlane, S. A. *see* Boutsika, K.
MacGuidwin, A.E. *see* Rotenberg, D.
Machado, E.C. *see* Ribeiro, R.V.
Mackey, B. *see* Bock, C.H.
Madden, L.V. *see* Pethybridge, S.J.
see also Xu, X.-M.
Maffia, L.A. *see* Suassuna, N.D.
Makepeace, J.C. *see* Chartrain, L.
Makeshkumar, T. *see* Jeeva, M.L.
Malathi, V.G. *see* Usharani, K.S.
Mandal, B., Mandal, S., Sohrab, S.S., Pun, K.B. & Varma, A. A new yellow mosaic disease of chayote in india, 797
Mandal, S. *see* Mandal, B.
Man in't Veld, W.A. *see* Moralejo, E.
Mann, R.L., Kettlewell, P.S. & Jenkinson, P. Effect of foliar-applied potassium chloride on septoria leaf blotch of winter wheat, 653
Mansoor, S. *see* Hussain, M.
Marcroft, S.J., Sprague, S.J., Salisbury, P.A. & Howlett, B.J. Potential for using host resistance to reduce production of pseudothecia and ascospores of *Leptosphaeria maculans*, the blackleg pathogen of *Brassica napus*, 468
Margaria, P., Ciuffo, M. & Turina, M. Resistance breaking strain of *Tomato spotted wilt virus* (*Tospovirus; Bunyaviridae*) on resistant pepper cultivars in Almería, Spain, 795
Marian, D. *see* Louro, D.
Markham, P.G. *see* Briddon, R.W.
Marrakchi, M. *see* M'hirsi, S.
Martín, G. *see* Segundo, E.
Martini, M. *see* Carraro, L.
Maruthi, M.N. *see* Colvin, J.
Marzouki, N. *see* M'hirsi, S.
Mathur, N. *see* Jeeva, M.L.
McGrann, G.R.D. & Adams, M.J. Investigating resistance to *Barley mild mosaic virus*, 161
McNeil, M., Roberts, A.M.I., Cockerell, V. & Mulholland, V. Real-time PCR assay for quantification of *Tilletia caries* contamination of UK wheat seed, 741
Mead, A. *see* Clarkson, J.P.
see also Jones, E.E.
Mejía, F., Palmieri, M., Oropeza, C., Doyle, M., Harrison, N., Aguilar, E., Narváez, M., Estrada, R. & Ortiz, G. First report of coconut lethal yellowing disease in Guatemala, 800
Meziane, H. *see* Achuo, E.A.
Miccio, G. *see* Nicoletti, R.
Miedaner, T. *see* Cumagun, C.J.R.
Milgroom, M.G. *see* Sotirovski, K.
Miralles, M.C. *see* Flors, V.
Mirik, M. *see* Saygili, H.
Mitrofanova, O.P. *see* Kanyuka, K.
Mizubuti, E.S.G. *see* Suassuna, N.D.
Moore, C.S. *see* Ellis, M.H.
Moralejo, E., Puig, M. & Man in't Veld, W.A. First report of *Phytophthora tentaculata* on *Verbena* sp. in Spain, 806
Mota, L.D.C., Della Vecchia, M.G.S., Gioria, R., Kitajima, E.W., Rezende, J.A.M., Camargo, L.E.A. & Amorim, L. *Pfaffia mosaic virus*: a new potyvirus found infecting *Pfaffia glomerata* in Brazil, 368
Muehlbauer, F.J. *see* Chen, W.
Mulholland, V. *see* McNeil, M.
Mumford, R.A., Jarvis, B. & Skelton, A. The first report of *Potato spindle tuber viroid* (PSTVd) in commercial tomatoes in the UK, 242
Mumford, R.A. *see* Skelton, A.L.
Munda, A. *see* Žerjav, M.

Nagata, T., Almeida, A.C.L., Resende, R.O. & de Ávila, A.C. The competence of four thrips species to transmit and replicate four tospoviruses, 136
Nair, R.R. *see* Jeeva, M.L.
Naito, S. *see* Yang, G.H.
Narváez, M. *see* Mejía, F.
Navas-Cortés, J.A. *see* Landa, B.B.
Ndjelassili, F. *see* Legg, J.P.
Neto, E. *see* Louro, D.
Neumann, S., Paveley, N.D., Beed, F.D. & Sylvester-Bradley, R. Nitrogen per unit leaf area affects the upper asymptote of *Puccinia striiformis* f.sp. *tritici* epidemics in winter wheat, 725
Ng, N.Q. *see* Odu, B.O.
Nichols, A.R. *see* Lovell, D.J.
Nicholson, P. *see* Covarelli, L.
see also Jennings, P.
Nicoletti, R., Raimo, F. & Miccio, G. First report of *Rhizoctonia solani* on *Diplotaxis tenuifolia* in Italy, 811
Niranjana, S.R. *see* Sudisha, J.
Noble, D. *see* Cother, E.J.
Noble, D.H. *see* Peters, B.J.
Noble, R. & Roberts, S.J. Eradication of plant pathogens and nematodes during composting: a review, 548

Obonyo, R. *see* Bigirimana, S.
Odu, B.O., Hughes, J.d'A., Asiedu, R., Ng, N.Q., Shoyinka, S.A. & Oladiran, O.A. Responses of white yam (*Dioscorea rotundata*) cultivars to inoculation with three viruses, 141
Oevering, P. *see* Sarra, S.
Offord, L.C. *see* Tushemereirwe, W.
Ogoshi, A. *see* Yang, G.H.
Okao-Okuja, G. *see* Legg, J.P.
Oladiran, O.A. *see* Odu, B.O.
Oliveira, R.F. *see* Ribeiro, R.V.

Omongo, C.A. *see* Colvin, J.
O'Neill, T.M., Shepherd, A., Inman, A.J. & Lane, C.R. Wilt of stock (*Matthiola incana*) caused by *Fusarium oxysporum* in the United Kingdom, 262
Oropeza, C. *see* Mejía, F.
Ortiz, G. *see* Mejía, F.
Osler, R. *see* Carraro, L.
Otim-Nape, G.W. *see* Colvin, J.

Palacios, N. *see* Ansari, K.I.
Palmieri, M. *see* Mejía, F.
Papazova-Anakieva, I. *see* Sotirovski, K.
Parker, S.R. *see* Lovell, D.J.
Parker, S.R., Welham, S., Paveley, N.D., Foulkes, J. & Scott, R.K. Tolerance of septoria leaf blotch in winter wheat, 1
Paul-Khurana, S.M. *see* Usharani, K.S.
Paveley, N.D. *see* Neumann, S.
see also Parker, S.R.
Payne, T. *see* Clarkson, J.P.
Peever, T.L. *see* Chen, W.
Pei, M.H., Ruiz, C., Bayon, C. & Hunter, T. Rust resistance in *Salix* to *Melampsora larici-epitea*, 770
Peral, R. *see* Echemendía, A.L.
Pereira, O.L. & Barreto, R.W. First report of *Sphenospora kevorkianii* (Raveneliaceae) on the orchid *Catasetum fimbriatum* in Brazil, 256
Peres, N.A.R. *see* Theodoro, G.F.
Pérez Sierra, A.M. *see* Henricot, B.
Pérez-Sierra, A., Guillaumin, J.-J., Spooner, B.M. & Bridge, P.D. Characterization of *Armillaria heimii* from Africa, 220
Peters, B.J. *see* Cother, E.J.
Peters, B.J., Ash, G.J., Cother, E.J., Hailstones, D.L., Noble, D.H. & Urwin, N.A.R. *Pseudomonas syringae* pv. *maculicola* in Australia: pathogenic, phenotypic and genetic diversity, 73
Peters, D. *see* Sarra, S.
Pethybridge, S.J., Madden, L.V., Griggs, J. & Wilson, C.R. Species composition and abundance of aphids in Australian hop gardens and their impact on spatiotemporal patterns of *Carlavirus* epidemics, 498
Petrželová, I. *see* Lebeda, A.
Phelps, K. *see* Young, C.S.
Phillips, A.J.L. *see* Alves, A.
Phillips, M.S. *see* Boutsika, K.
Piątek, M. First report of powdery mildew (*Oidium carpini*) on *Carpinus betulus* in Poland, 246
Poupot, C. *see* Calonnec, A.
Pourrahim, R., Rakhshandehro, F., Farzadfar, Sh. & Golnaraghi, A.R. Natural occurrence of *Tomato ringspot virus* on grapevines in Iran, 237
Powers, S.J. *see* Lovell, D.J.
Professor William E. Fry, 539
Puig, M. *see* Moralejo, E.
Pujol, M. *see* Echemendía, A.L.
Pujol, M., De Clercq, D., Cognet, S., Lepoivre, P. & Jijakli, M.H. Monitoring system for the biocontrol agent *Pichia anomala* strain K using quantitative competitive PCR-ELOSA, 103
Pun, K.B. *see* Mandal, B.
Putnam, M.L. First report of stem rot of rosemary caused by *Sclerotinia sclerotiorum* in the United States, 252

Qazi, J. *see* Hussain, M.
Quinot, A. *see* Louro, D.

Rabenstein, F. *see* Cumagun, C.J.R.
Radewald, K.C., Ferrin, D.M. & Stanghellini, M.E. Sanitation practices that inhibit reproduction of *Monosporascus cannonballus* in melon roots left in the field after crop termination, 660
Radewald, K.C. *see* Stanghellini, M.E.
Raimo, F. *see* Nicoletti, R.
Rakhshandehro, F. *see* Pourrahim, R.
Ramos, P.L. *see* Echemendía, A.L.
Rantala, H. *see* Lehtonen, M.J.
Rasmussen, S.L. *see* Stanghellini, M.E.
Rassaby, L., Girard, J.-C., Lemaire, O., Costet, L., Irey, M.S., Kodja, H., Lockhart, B.E.L. & Rott, P. Spread of *Sugarcane yellow leaf virus* in sugarcane plants and fields on the island of Réunion, 117
Rebetzke, G.J. *see* Ellis, M.H.
Resende, R.O. *see* Nagata, T.
Rezende, J.A.M. *see* Mota, L.D.C.
Ribeiro, R.V., Machado, E.C. & Oliveira, R.F. Growth- and leaf-temperature effects on photosynthesis of sweet orange seedlings infected with *Xylella fastidiosa*, 334
Riccioni, L. *see* Vrandecic, K.
Richter, K. *see* Bogs, J.
Roberts, A.M.I. *see* McNeil, M.
Roberts, S.J. *see* Noble, R.
Robertson, I. *see* Briddon, R.W.
Robertson, N.L. Biology of a new virus isolated from *Lupinus nootkatensis* plants in Alaska, 569
Robinson, D.J. *see* Dale, M.F.B.
Rodgers-Gray, B.S. & Shaw, M.W. Effects of straw and silicon soil amendments on some foliar and stem-base diseases in pot-grown winter wheat, 733
Ronco, L. *see* Wolcan, S.M.
Rose, J. *see* Brasier, C.M.
Rossetti, A.G. *see* Cardoso, J.E.
Rossi, M.P. *see* Scortichini, M.
Rotenberg, D., MacGuidwin, A.E., Saeed, I.A.M. & Rouse, D.I. Interaction of spatially separated *Pratylenchus penetrans* and *Verticillium dahliae* on potato measured by impaired photosynthesis, 294
Rott, P. *see* Rassaby, L.
Rouse, D.I. *see* Rotenberg, D.
Roux, J., van Wyk, M., Hatting, H. & Wingfield, M.J. *Ceratocystis* species infecting stem wounds on *Eucalyptus grandis* in South Africa, 414
Rudzińska-Langwald, A. *see* Kamińska, M.
Ruiz, C. *see* Pei, M.H.
Rutherford, M. *see* Tushemereirwe, W.

Saeed, I.A.M. *see* Rotenberg, D.
Sahin, F. *see* Saygili, H.
Salcedo, J.E. *see* Filgueira, J.J.
Saleem, M.Y. *see* Akhtar, K.P.
Salerno, M. *see* Scortichini, M.
Salisbury, P.A. *see* J. Marcroft, S.
Salm, H. & Geider, K. Real-time PCR for detection and quantification of *Erwinia amylovora*, the causal agent of fireblight, 602
Santos, A.A. *see* Cardoso, J.E.
Santos, C. *see* Alves, A.
Sarra, S., Oevering, P., Guindo, S. & Peters, D. Wind-mediated spread of *Rice yellow mottle virus* (RYMV) in irrigated rice crops, 148
Savary, S. *see* Avelino, J.
Saygili, H., Aysan, Y., Sahin, F., Ustun, N. & Mirik, M.

Occurrence of pith necrosis caused by *Pseudomonas fluorescens* on tomato plants in Turkey, 803
Schlenzig, A. *see* Beales, P.A.
Scortichini, M., Rossi, M.P. & Salerno, M. Relationship of genetic structure of *Pseudomonas savastanoi* pv. *savastanoi* populations from Italian olive trees and patterns of host genetic diversity, 491
Scott, R.K. *see* Parker, S.R.
Scrace, J. *see* Beales, P.A.
Segundo, E., Martín, G., Cuadrado, I.M. & Janssen, D. A new yellowing disease in *Phaseolus vulgaris* associated with a whitefly-transmitted virus, 517
Seta, S., Gonzalez, M. & Lori, G. First report of walnut canker caused by *Fusarium incarnatum* in Argentina, 248
Shattock, R.C. *see* Day, J.P.
Shaw, D.S. *see* Day, J.P.
Shaw, M.W. *see* Rodgers-Gray, B.S.
Shekar Shetty, H. *see* Sudisha, J.
Shepherd, A. *see* O'Neill, T.M.
Shoyinka, S.A. *see* Odu, B.O.
Skelton, A. *see* Mumford, R.A.
Skelton, A.L., Jarvis, B., Koenig, R., Lesemann, D.E. & Mumford, R.A. Isolation and identification of a novel tymovirus from *Nemesia* in the UK, 798
Śliwa, H. *see* Kamińska, M.
Smith, C.M. & Campbell, M.M. *Populus* genotypes differ in infection by, and systemic spread of, *Poplar mosaic virus*, 780
Smith, J.A. *see* Young, C.S.
Smith, J.J. *see* Tushemereirwe, W.
Sohrab, S.S. *see* Mandal, B.
Solheim, H. *see* Gjærum, H.B.
Song, L.M. *see* Liang, W.X.
Sotirovski, K., Papazova-Anakieva, I., Grünwald, N.J. & Milgroom, M.G. Low diversity of vegetative compatibility types and mating type of *Cryphonectria parasitica* in the southern Balkans, 325
Sousa, M.F., Tavares, R.M., Gerós, H. & Lino-Neto, T. First report of *Hakea sericea* leaf infection caused by *Pestalotiopsis funerea* in Portugal, 535
Soylu, E.M., Soylu, S. & Kurt, S. First report of powdery mildew caused by *Podosphaera phaseoli* (syn. *Sphaerotheca phaseoli*) on cowpea (*Vigna sinensis*) in Turkey, 528
Soylu, E.M. *see* Kurt, S.
see also Soylu, S.
Soylu, S. *see* Kurt, S.
see also Soylu, E.M.
Soylu, S., Soylu, E.M. & Kurt, S. First report of leaf rust on plum (*Prunus cerasifera*) by *Tranzschelia pruni-spinosa* var. *discolor* in the eastern Mediterranean region of Turkey, 257
Spooner, B.M. *see* Pérez-Sierra, A.
Sprague, S.J. *see* J. Marcroft, S.
Sriram, S. *see* Jeeva, M.L.
Ssekiwoko, F. *see* Tushemereirwe, W.
Stanghellini, M.E. *see* Radewald, K.C.
Stanghellini, M.E., Kim, D.H., Waugh, M.M., Ferrin, D.M., Alcantara, T. & Rasmussen, S.L. Infection and colonization of melon roots by *Monosporascus cannonballus* in two cropping seasons in Arizona and California, 54
Stanghellini, M.E., Waugh, M.M., Radewald, K.C., Kim, D.H., Ferrin, D.M. & Turini, T. Crop residue destruction strategies that enhance rather than inhibit reproduction of *Monosporascus cannonballus*, 50
Stanley, J. *see* Briddon, R.W.
Su, H.-J. *see* Hung, T.-H.
Suassuna, N.D., Maffia, L.A. & Mizubuti, E.S.G. Aggressiveness and host specificity of Brazilian isolates of *Phytophthora infestans*, 405
Sudisha, J., Vasanth Kumar, T., Niranjana, S.R. & Shekar Shetty, H. First report of gummy stem blight caused by *Didymella bryoniae* on muskmelon (*Cucumis melo*) in India, 533
Surendranath, B. *see* Usharani, K.S.
Suslow, T.V. *see* Hernandez-Anguiano, A.M.
Sylvester-Bradley, R. *see* Neumann, S.
Szabó, I. & Harrington, T.C. First report of *Thielaviopsis populi* on hybrid poplar in Hungary, 249
Szentiványi, O., Varga, K. & Kiss, L. Powdery mildew on snowberry in Hungary caused by *Erysiphe symphoricarpi* (syn. *Microsphaera symphoricarpi*), 243

Tavares, R.M. *see* Sousa, M.F.
Theodoro, G.F., Peres, N.A.R. & Verona, L.A.F. Outbreak of postbloom fruit drop of citrus, caused by *Colletotrichum acutatum*, in Santa Catarina State, southern Brazil, 253
Thresh, J.M. *see* Colvin, J.
Tian, G.Z. *see* Liang, W.X.
Todd, A.D. *see* Karolewski, Z.
Todd, D. *see* Dale, M.F.B.
Tok, F.M. *see* Kurt, S.
Tomley, A.J. & Evans, H.C. Establishment of, and preliminary impact studies on, the rust, *Maravalia cryptostegiae*, of the invasive alien weed, *Cryptostegia grandiflora* in Queensland, Australia, 475
Tomlinson, J. *see* Giltrap, P.M.
Tomlinson, J.A. *see* Lane, C.R.
Tsopelas, P. & Angelopoulos, A. First report of canker stain disease of plane trees, caused by *Ceratocystis fimbriata* f. sp. *platani* in Greece, 531
Tsror (Lahkim), L. Effect of light duration on severity of black dot caused by *Colletotrichum coccodes* on potato, 288
Turina, M. *see* Ciuffo, M.
see also Margaria, P.
Turini, T. *see* Stanghellini, M.E.
Turner, A.S. *see* Covarelli, L.
Turner, J.A. *see* Jennings, P.
see also Welham, S.J.
Tushemereirwe, W., Kangire, A., Ssekiwoko, F., Offord, L.C., Crozier, J., Boa, E., Rutherford, M. & Smith, J.J. First report of *Xanthomonas campestris* pv. *musacearum* on banana in Uganda, 802

Urwin, N.A.R. *see* Peters, B.J.
Usharani, K.S., Surendranath, B., Paul-Khurana, S.M., Garg, I.D. & Malathi, V.G. Potato leaf curl – a new disease of potato in northern India caused by a strain of *Tomato leaf curl New Delhi virus*, 235
Ustun, N. *see* Saygili, H.

Vaira, A.M. *see* Louro, D.
Vajna, L. *see* Kiss, L.
Vajna, L., Fischl, G. & Kiss, L. *Erysiphe elevata* (syn. *Microsphaera elevata*), a new North American powdery mildew fungus in Europe infecting *Catalpa bignonioides* trees, 244
Valkonen, J.P.T. *see* Lehtonen, M.J.
Van den Bosch, F. *see* Lovell, D.J.
van Wyk, M. *see* Roux, J.
Varas, E. *see* Flors, V.
Varga, K. *see* Szentiványi, O.
Varma, A. *see* Mandal, B.

Vasanth Kumar, T. *see* Sudisha, J.
Vecchiati, M. *see* Louro, D.
Verona, L.A.F. *see* Theodoro, G.F.
Veroz, D., Alves-Santos, F.M. & Diez, J. Occurrence of *Pestalotia stevensonii* on *Pinus pinea* in Spain, 250
Vidal, J.C. *see* Cardoso, J.E.
Vieira, B.S. & Barreto, R.W. First record of *Cercospora richardiaecola* causing leaf spots on *Zantedeschia aethiopica* in Brazil, 813
Vihlman, K. *see* Lehtonen, M.J.
Virtanen, E. *see* Lehtonen, M.J.
Vovlas, N. *see* Di Vito, M.
Vrandecic, K., Cosic, J., Riccioni, L., Duvnjak, T. & Jurkovic, D. *Phomopsis longicolla* – new pathogen on *Abutilon theophrasti* in Croatia, 251

Waghorn, I. *see* Henricot, B.
Walsh, K. *see* Jennings, P.
Wang, F.R. *see* Fan, Z.F.
Wang, J.L. *see* Zhou, J.H.
Wang, W.J. *see* Fan, Z.F.
Wang, Y.X. *see* Ma, Z.H.
Ward, L.I., Fenn, M.G.E. & Henry, C.M. A rapid method for direct detection of *Polymyxa* DNA in soil, 485
Warwick, K. *see* Lane, C.R.
Watling, M. *see* Young, C.S.
Wattier, R.A.M. *see* Day, J.P.
Waugh, M.M. *see* Stanghellini, M.E.
Webber, J.F. *see* Brasier, C.M.
Welham, S. *see* Parker, S.R.
Welham, S.J., Turner, J.A., Gladders, P., Fitt, B.D.L., Evans, N. & Baierl, A. Predicting light leaf spot (*Pyrenopeziza brassicae*) risk on winter oilseed rape (*Brassica napus*) in England and Wales, using survey, weather and crop information, 713
Welham, S.J. *see* Lovell, D.J.
Whipps, J.M. *see* Clarkson, J.P.
see also Jones, E.E.; Young, C.S.
Williams, J.S. & Cooper, R.M. The oldest fungicide and newest phytoalexin – a reappraisal of the fungitoxicity of elemental sulphur, 263
Willocquet, L. *see* Avelino, J.
Wilson, C.R. *see* Pethybridge, S.J.
Wingfield, M.J. *see* Roux, J.
Wolcan, S.M. & Ronco, L. Occurrence of *Erysiphe buhrii* on *Gypsophila paniculata* in Argentina, 247
Woodhall, J.W. & Lees, A.K. First report of *Rhizoctonia solani* anastomosis group 5 (AG5) on couch grass in Britain, 538
Wydra, K. *see* Zinsou, V.

Xu, J.C. *see* Zhou, J.H.
Xu, X.-M. & Madden, L.V. Use of SADIE statistics to study spatial dynamics of plant disease epidemics, 38

Yang, G.H., Chen, X.Q., Chen, H.R., Naito, S., Ogoshi, A. & Zhao, J.F. First report of foliar blight in *Brassica rapa* ssp. *chinensis* caused by *Rhizoctonia solani* AG-4, 260
Yang, X.B. *see* Ma, Z.H.
Young, C.S., Clarkson, J.P., Smith, J.A., Watling, M., Phelps, K. & Whipps, J.M. Environmental conditions influencing *Sclerotinia sclerotiorum* infection and disease development in lettuce, 387
Yucel, S. *see* Can, C.

Zafar, Y. *see* Hussain, M.
Zaidi, A.A. *see* Katoch, M.
Zare, R. *see* Ghalandar, M.
Žerjav, M., Munda, A., Lane, C.R., Barnes, A.V. & Hughes, K.J.D. First report of *Phytophthora ramorum* on container-grown plants of rhododendron and viburnum in Slovenia, 523
Zhang, Z.D. *see* Ma, Z.H.
Zhao, J.F. *see* Yang, G.H.
Zhou, J.H., Wang, J.L., Xu, J.C., Lei, C.L. & Ling, Z.Z. Identification and mapping of a rice blast resistance gene *Pi-g(t)* in the cultivar Guangchangzhan, 191
Zhou, X.P. *see* Jiang, T.
Zinsou, V., Wydra, K., Ahohuendo, B. & Hau, B. Effect of soil amendments, intercropping and planting time in combination on the severity of cassava bacterial blight and yield in two ecozones of West Africa, 585